




World Leader in Rating Technology

Speed Guide



Polar Plot for Boat

Name **W700 LD**
Sail Number
Class **Waarschip 700 LD**
Designer **Peltzer**
Builder **Waarschip**
Issued On **11/11/2010 - VPP 2010 1.11**

TWS: 6, 8, 10, 12, 14, 16, 20 kts

Jib

Symmetric Spinnaker


Asymmetric Spinnaker on Pole



ORC

World Leader in Rating Technology

Speed Guide



Polar Plot for Boat

Name **W700 LD**
Sail Number
Class **Waarschip 700 LD**
Designer **Peltzer**
Builder **Waarschip**
Issued On **11/11/2010 - VPP 2010 1.11**

TWS: 6 kts

Jib


Symmetric Spinnaker

Asymmetric Spinnaker on Pole



World Leader in Rating Technology

Speed Guide



Polar Plot for Boat

Name **W700 LD**
Sail Number
Class **Waarschip 700 LD**
Designer **Peltzer**
Builder **Waarschip**
Issued On **11/11/2010 - VPP 2010 1.11**

TWS: 8 kts

Jib


Symmetric Spinnaker

Asymmetric Spinnaker on Pole



World Leader in Rating Technology

Speed Guide



Polar Plot for Boat	
Name	W700 LD
Sail Number	
Class	Waarschip 700 LD
Designer	Peltzer
Builder	Waarschip
Issued On	11/11/2010 - VPP 2010 1.11

TWS: 10 kts

Jib

Symmetric Spinnaker


Asymmetric Spinnaker on Pole



ORC

World Leader in Rating Technology

Speed Guide



Polar Plot for Boat

Name **W700 LD**
Sail Number
Class **Waarschip 700 LD**
Designer **Peltzer**
Builder **Waarschip**
Issued On **11/11/2010 - VPP 2010 1.11**

TWS: 12 kts

Jib


Symmetric Spinnaker

Asymmetric Spinnaker on Pole



World Leader in Rating Technology

Speed Guide



Polar Plot for Boat	
Name	W700 LD
Sail Number	
Class	Waarschip 700 LD
Designer	Peltzer
Builder	Waarschip
Issued On	11/11/2010 - VPP 2010 1.11

TWS: 14 kts

Jib

Symmetric Spinnaker


Asymmetric Spinnaker on Pole



ORC

World Leader in Rating Technology

Speed Guide



Polar Plot for Boat	
Name	W700 LD
Sail Number	
Class	Waarschip 700 LD
Designer	Peltzer
Builder	Waarschip
Issued On	11/11/2010 - VPP 2010 1.11

TWS: 16 kts

Jib


Symmetric Spinnaker

Asymmetric Spinnaker on Pole



World Leader in Rating Technology

Speed Guide



Polar Plot for Boat	
Name	W700 LD
Sail Number	
Class	Waarschip 700 LD
Designer	Peltzer
Builder	Waarschip
Issued On	11/11/2010 - VPP 2010 1.11

TWS: 20 kts

Jib

Symmetric Spinnaker

Asymmetric Spinnaker on Pole



World Leader in Rating Technology
 © Offshore Racing Congress 2010
 www.orc.org

Polar Tables							
Boat Name: W700 LD							
Sail No:							
Sail: Best Performance							
Issued On: 11/11/2010 - VPP 2010 1.11							

TWS = 6 Kts							
TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
43.1° (b)	4.02	2.94	9.35	26.0°	2.4°	1.00	1.00
52°	4.49	2.77	9.45	30.0°	2.4°	1.00	1.00
60°	4.79	2.39	9.36	33.7°	2.4°	1.00	1.00
70°	5.03	1.72	9.05	38.5°	2.8°	1.00	1.00
75°	5.25	1.36	8.94	40.4°	2.9°	1.00	1.00
80°	5.41	0.94	8.75	42.5°	3.0°	1.00	1.00
90°	5.56	0.00	8.18	47.2°	2.9°	1.00	1.00
110°	5.43	1.86	6.57	59.1°	2.3°	1.00	1.00
120°	5.18	2.59	5.64	67.2°	1.9°	1.00	1.00
135°	4.58	3.24	4.26	85.4°	1.2°	1.00	1.00
150°	3.81	3.30	3.30	114.8°	0.6°	1.00	1.00
165°	3.26	3.15	2.98	148.5°	0.2°	1.00	1.00
180°	3.04	3.04	2.97	180.0°	0.1°	1.00	1.00
144.0° (r)	4.13	3.35	3.60	101.6°	0.8°	1.00	1.00

TWS = 8 Kts							
TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
43.1° (b)	4.84	3.54	12.00	27.1°	3.3°	1.00	1.00
52°	5.36	3.30	12.06	31.5°	3.4°	1.00	1.00
60°	5.62	2.81	11.85	35.8°	3.2°	1.00	1.00
70°	6.00	2.05	11.53	40.7°	4.4°	1.00	1.00
75°	6.19	1.60	11.31	43.1°	4.7°	1.00	1.00
80°	6.31	1.09	11.01	45.7°	4.6°	1.00	1.00
90°	6.41	0.00	10.25	51.3°	4.2°	1.00	1.00
110°	6.26	2.14	8.30	64.9°	3.1°	1.00	1.00
120°	6.05	3.02	7.22	73.5°	2.4°	1.00	1.00
135°	5.54	3.92	5.66	91.1°	1.5°	1.00	1.00
150°	4.77	4.13	4.54	118.3°	0.8°	1.00	1.00
165°	4.20	4.06	4.09	149.6°	0.4°	1.00	1.00
180°	3.97	3.97	4.03	180.0°	0.1°	1.00	1.00
145.8° (r)	5.00	4.14	4.77	109.9°	1.0°	1.00	1.00

TWS = 10 Kts							
TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
41.0° (b)	5.31	4.01	14.44	27.0°	4.5°	1.00	1.00
52°	5.95	3.66	14.44	33.1°	4.5°	1.00	1.00
60°	6.20	3.10	14.16	37.7°	4.3°	1.00	1.00
70°	6.72	2.30	13.83	42.8°	16.8°	1.00	1.00
75°	6.88	1.78	13.53	45.6°	17.6°	1.00	1.00
80°	6.99	1.21	13.16	48.5°	16.0°	1.00	1.00
90°	7.07	0.00	12.25	54.7°	12.5°	1.00	1.00
110°	6.88	2.35	10.02	69.8°	3.9°	1.00	1.00
120°	6.69	3.35	8.82	78.9°	3.0°	1.00	1.00
135°	6.24	4.41	7.12	96.7°	1.9°	1.00	1.00
150°	5.58	4.83	5.87	121.7°	1.0°	1.00	1.00
165°	5.04	4.87	5.29	150.7°	0.5°	1.00	1.00
180°	4.77	4.77	5.23	180.0°	0.1°	1.00	1.00
159.3° (r)	5.22	4.89	5.44	139.5°	0.7°	1.00	1.00

TWS = 12 Kts							
TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
40.8° (b)	5.75	4.36	16.78	27.8°	10.7°	1.00	1.00
52°	6.42	3.95	16.74	34.4°	10.1°	1.00	1.00
60°	6.66	3.33	16.38	39.4°	7.5°	1.00	1.00
70°	7.05	2.41	15.86	45.3°	24.0°	1.00	0.81
75°	7.23	1.87	15.53	48.3°	24.2°	1.00	0.82
80°	7.40	1.28	15.15	51.3°	24.6°	1.00	0.85
90°	7.73	0.00	14.28	57.2°	25.2°	1.00	0.96
110°	7.51	2.57	11.78	73.2°	5.4°	1.00	1.00
120°	7.27	3.63	10.47	83.1°	3.7°	1.00	1.00
135°	6.78	4.80	8.65	101.3°	2.3°	1.00	1.00
150°	6.21	5.38	7.31	124.9°	1.3°	1.00	1.00
165°	5.73	5.53	6.63	152.1°	0.7°	1.00	1.00
180°	5.49	5.49	6.51	180.0°	0.2°	1.00	1.00
166.5° (r)	5.69	5.53	6.60	154.9°	0.7°	1.00	1.00

TWS = 14 Kts							
TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
40.2° (b)	6.03	4.61	19.01	28.4°	17.3°	1.00	0.91
52°	6.78	4.17	18.94	35.6°	21.2°	1.00	0.96
60°	7.12	3.56	18.61	40.7°	20.1°	1.00	1.00
70°	7.28	2.49	17.85	47.5°	11.9°	1.00	1.00
75°	7.45	1.93	17.48	50.7°	25.3°	1.00	0.66
80°	7.65	1.33	17.08	53.8°	25.6°	0.99	0.70
90°	8.08	0.00	16.17	60.0°	26.3°	1.00	0.80
110°	8.60	2.94	13.70	73.8°	18.6°	1.00	1.00
120°	7.98	3.99	12.16	85.4°	4.7°	1.00	1.00
135°	7.30	5.16	10.24	104.7°	2.7°	1.00	1.00
150°	6.73	5.83	8.84	127.6°	1.6°	1.00	1.00
165°	6.31	6.09	8.08	153.3°	0.9°	1.00	1.00
180°	6.08	6.08	7.92	180.0°	0.3°	1.00	1.00
171.0° (r)	6.18	6.11	7.95	164.0°	0.7°	1.00	1.00

TWS = 16 Kts							
TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
39.3° (b)	6.15	4.76	21.12	28.7°	18.4°	1.00	0.77
52°	6.94	4.27	21.00	36.9°	22.1°	1.00	0.83
60°	7.32	3.66	20.65	42.1°	23.4°	1.00	0.88
70°	7.79	2.67	20.05	48.6°	24.6°	1.00	0.97
75°	7.99	2.07	19.65	51.9°	20.7°	1.00	1.00
80°	7.90	1.37	19.03	55.9°	13.1°	1.00	1.00
90°	8.37	0.00	18.06	62.4°	26.5°	0.92	0.81
110°	9.70	3.32	15.62	74.3°	27.4°	0.98	1.00
120°	9.20	4.60	13.91	85.0°	11.9°	1.00	1.00
135°	7.92	5.60	11.81	106.7°	3.2°	1.00	1.00
150°	7.21	6.24	10.40	129.7°	1.9°	1.00	1.00
165°	6.79	6.55	9.61	154.5°	1.1°	1.00	1.00
180°	6.58	6.58	9.42	180.0°	0.4°	1.00	1.00
173.7° (r)	6.64	6.60	9.43	169.3°	0.7°	1.00	1.00

TWS = 20 Kts							
TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
38.8° (b)	6.29	4.90	25.21	29.8°	21.3°	0.97	0.60
52°	7.13	4.39	25.03	39.0°	23.1°	1.00	0.62
60°	7.56	3.78	24.66	44.6°	24.3°	1.00	0.67
70°	8.15	2.79	24.04	51.4°	25.5°	1.00	0.74
75°	8.47	2.19	23.65	54.8°	26.0°	1.00	0.79
80°	8.83	1.53	23.22	58.0°	26.4°	1.00	0.85
90°	9.72	0.00	22.24	64.1°	27.1°	1.00	0.98
110°	10.92	3.74	19.23	77.7°	28.1°	0.90	0.88
120°	11.92	5.96	17.43	83.7°	28.1°	0.94	1.00
135°	10.09	7.13	14.71	106.0°	4.6°	1.00	1.00
150°	8.43	7.30	13.38	131.6°	2.5°	1.00	1.00
165°	7.76	7.50	12.66	155.9°	1.5°	1.00	1.00
180°	7.48	7.48	12.52	180.0°	0.6°	1.00	1.00
128.4° (r)	12.33	7.66	15.67	90.4°	23.4°	1.00	1.00



World Leader in Rating Technology
 © Offshore Racing Congress 2010
 www.orc.org

Polar Tables							
Boat Name: W700 LD							
Sail No:							
Sail: Jib							
Issued On: 11/11/2010 - VPP 2010 1.11							

TWS = 6 Kts							
TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
43.1° (b)	4.02	2.94	8.91	25.1°	2.4°	1.00	1.00
52°	4.49	2.77	9.03	28.9°	2.4°	1.00	1.00
60°	4.79	2.39	8.95	32.4°	2.4°	1.00	1.00
70°	5.00	1.71	8.64	37.1°	2.2°	1.00	1.00
75°	5.04	1.31	8.40	39.6°	2.2°	1.00	1.00
80°	5.06	0.88	8.12	42.2°	2.0°	1.00	1.00
90°	4.98	0.00	7.45	48.0°	1.8°	1.00	1.00
110°	4.41	1.51	5.79	64.2°	1.1°	1.00	1.00
120°	4.03	2.01	4.96	75.3°	0.8°	1.00	1.00
135°	3.42	2.42	3.95	97.3°	0.5°	1.00	1.00
150°	3.05	2.64	3.28	122.4°	0.4°	1.00	1.00
165°	2.85	2.75	2.89	150.2°	0.3°	1.00	1.00
180°	2.79	2.79	2.76	180.0°	0.1°	1.00	1.00
180.0° (r)	2.79	2.79	2.76	180.0°	0.1°	1.00	1.00

TWS = 8 Kts							
TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
43.1° (b)	4.84	3.54	11.41	26.2°	3.3°	1.00	1.00
52°	5.36	3.30	11.49	30.4°	3.4°	1.00	1.00
60°	5.62	2.81	11.29	34.5°	3.2°	1.00	1.00
70°	5.79	1.98	10.83	39.8°	3.0°	1.00	1.00
75°	5.83	1.51	10.52	42.7°	2.8°	1.00	1.00
80°	5.84	1.01	10.18	45.6°	2.7°	1.00	1.00
90°	5.77	0.00	9.37	52.0°	2.3°	1.00	1.00
110°	5.28	1.81	7.47	68.4°	1.5°	1.00	1.00
120°	4.89	2.45	6.51	79.4°	1.2°	1.00	1.00
135°	4.30	3.04	5.31	100.0°	0.8°	1.00	1.00
150°	3.96	3.43	4.43	123.5°	0.6°	1.00	1.00
165°	3.74	3.61	3.90	150.6°	0.4°	1.00	1.00
180°	3.67	3.67	3.73	180.0°	0.1°	1.00	1.00
180.0° (r)	3.67	3.67	3.73	180.0°	0.1°	1.00	1.00

TWS = 10 Kts							
TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
41.0° (b)	5.31	4.01	13.69	26.2°	4.5°	1.00	1.00
52°	5.95	3.66	13.71	31.9°	4.5°	1.00	1.00
60°	6.20	3.10	13.44	36.4°	4.3°	1.00	1.00
70°	6.37	2.18	12.87	42.3°	3.8°	1.00	1.00
75°	6.40	1.66	12.51	45.4°	3.6°	1.00	1.00
80°	6.41	1.11	12.11	48.6°	3.3°	1.00	1.00
90°	6.34	0.00	11.19	55.5°	2.8°	1.00	1.00
110°	5.89	2.01	9.10	72.5°	1.8°	1.00	1.00
120°	5.57	2.78	8.06	83.2°	1.5°	1.00	1.00
135°	5.08	3.59	6.69	102.5°	1.1°	1.00	1.00
150°	4.72	4.09	5.67	125.4°	0.8°	1.00	1.00
165°	4.50	4.34	5.03	151.6°	0.6°	1.00	1.00
180°	4.42	4.42	4.82	180.0°	0.2°	1.00	1.00
180.0° (r)	4.42	4.42	4.82	180.0°	0.2°	1.00	1.00

TWS = 12 Kts							
TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
40.8° (b)	5.75	4.36	15.81	26.7°	10.7°	1.00	1.00
52°	6.42	3.95	15.77	33.0°	10.1°	1.00	1.00
60°	6.66	3.33	15.46	37.9°	7.5°	1.00	1.00
70°	6.81	2.33	14.83	44.4°	5.0°	1.00	1.00
75°	6.84	1.77	14.43	47.7°	4.5°	1.00	1.00
80°	6.85	1.19	13.98	51.1°	4.1°	1.00	1.00
90°	6.78	0.00	12.98	58.5°	3.3°	1.00	1.00
110°	6.38	2.18	10.73	76.0°	2.2°	1.00	1.00
120°	6.10	3.05	9.61	86.7°	1.8°	1.00	1.00
135°	5.69	4.02	8.13	105.4°	1.4°	1.00	1.00
150°	5.40	4.68	6.96	127.2°	1.1°	1.00	1.00
165°	5.20	5.03	6.21	152.5°	0.8°	1.00	1.00
180°	5.13	5.13	5.96	180.0°	0.3°	1.00	1.00
180.0° (r)	5.13	5.13	5.96	180.0°	0.3°	1.00	1.00

TWS = 14 Kts							
TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
40.2° (b)	6.03	4.61	17.70	26.5°	17.3°	1.00	0.91
52°	6.78	4.17	17.41	32.7°	21.2°	1.00	0.96
60°	7.12	3.56	17.07	37.6°	20.1°	1.00	1.00
70°	7.28	2.49	16.65	45.4°	11.9°	1.00	1.00
75°	7.29	1.89	16.30	49.3°	8.0°	1.00	1.00
80°	7.28	1.26	15.86	53.1°	5.3°	1.00	1.00
90°	7.19	0.00	14.77	60.9°	4.0°	1.00	1.00
110°	6.78	2.32	12.37	79.0°	2.6°	1.00	1.00
120°	6.54	3.27	11.20	89.6°	2.1°	1.00	1.00
135°	6.20	4.38	9.61	107.9°	1.7°	1.00	1.00
150°	5.95	5.15	8.33	129.1°	1.3°	1.00	1.00
165°	5.77	5.58	7.51	153.5°	1.0°	1.00	1.00
180°	5.70	5.70	7.23	180.0°	0.4°	1.00	1.00
180.0° (r)	5.70	5.70	7.23	180.0°	0.4°	1.00	1.00

TWS = 16 Kts							
TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
39.3° (b)	6.15	4.76	19.59	26.7°	18.4°	1.00	0.77
52°	6.94	4.27	19.18	33.8°	22.1°	1.00	0.83
60°	7.32	3.66	18.65	38.4°	23.4°	1.00	0.88
70°	7.79	2.67	17.83	44.2°	24.6°	1.00	0.97
75°	7.99	2.07	17.70	48.3°	20.7°	1.00	1.00
80°	7.90	1.37	17.57	53.5°	13.1°	1.00	1.00
90°	7.67	0.00	16.60	62.5°	4.9°	1.00	1.00
110°	7.17	2.45	14.03	81.3°	3.0°	1.00	1.00
120°	6.92	3.46	12.80	92.1°	2.5°	1.00	1.00
135°	6.62	4.68	11.13	110.1°	2.0°	1.00	1.00
150°	6.42	5.56	9.77	130.8°	1.6°	1.00	1.00
165°	6.27	6.05	8.88	154.5°	1.2°	1.00	1.00
180°	6.21	6.21	8.58	180.0°	0.5°	1.00	1.00
180.0° (r)	6.21	6.21	8.58	180.0°	0.5°	1.00	1.00

TWS = 20 Kts							
TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
38.8° (b)	6.29	4.90	23.05	27.4°	21.3°	0.97	0.60
52°	7.13	4.39	22.62	35.8°	23.1°	1.00	0.62
60°	7.56	3.78	22.01	40.8°	24.3°	1.00	0.67
70°	8.15	2.79	21.08	47.0°	25.5°	1.00	0.74
75°	8.47	2.19	20.55	50.1°	26.0°	1.00	0.79
80°	8.83	1.53	20.01	53.2°	26.4°	1.00	0.85
90°	9.72	0.00	18.86	59.0°	27.1°	1.00	0.98
110°	8.16	2.79	17.41	83.9°	4.1°	1.00	1.00
120°	7.77	3.88	16.04	95.3°	3.3°	1.00	1.00
135°	7.42	5.24	14.22	113.4°	2.8°	1.00	1.00
150°	7.20	6.24	12.76	133.6°	2.2°	1.00	1.00
165°	7.07	6.83	11.79	156.1°	1.6°	1.00	1.00
180°	7.02	7.02	11.46	180.0°	0.7°	1.00	1.00
180.0° (r)	7.02	7.02	11.46	180.0°	0.7°	1.00	1.00



World Leader in Rating Technology
 © Offshore Racing Congress 2010
 www.orc.org

Polar Tables							
Boat Name: W700 LD							
Sail No:							
Sail: Symmetric Spinnaker							
Issued On: 11/11/2010 - VPP 2010 1.11							

TWS = 6 Kts							
TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	4.25	2.13	8.62	34.7°	2.3°	1.00	1.00
70°	4.88	1.67	8.65	38.0°	2.7°	1.00	1.00
75°	5.11	1.32	8.55	39.7°	2.8°	1.00	1.00
80°	5.27	0.92	8.38	41.7°	2.9°	1.00	1.00
90°	5.43	0.00	7.84	46.2°	2.8°	1.00	1.00
110°	5.29	1.81	6.29	57.8°	2.1°	1.00	1.00
120°	5.03	2.52	5.38	65.8°	1.7°	1.00	1.00
135°	4.45	3.15	4.03	83.7°	1.1°	1.00	1.00
150°	3.80	3.29	3.04	111.4°	0.5°	1.00	1.00
165°	3.25	3.14	2.67	146.6°	0.2°	1.00	1.00
180°	3.02	3.02	2.65	180.0°	0.1°	1.00	1.00
146.8° (r)	3.94	3.30	3.20	104.6°	0.6°	1.00	1.00

TWS = 8 Kts							
TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	5.27	2.63	11.16	35.8°	3.5°	1.00	1.00
70°	5.86	2.01	11.02	40.0°	4.1°	1.00	1.00
75°	6.05	1.57	10.82	42.3°	4.3°	1.00	1.00
80°	6.17	1.07	10.53	44.8°	4.3°	1.00	1.00
90°	6.29	0.00	9.81	50.2°	4.0°	1.00	1.00
110°	6.13	2.10	7.93	63.4°	2.8°	1.00	1.00
120°	5.92	2.96	6.88	71.9°	2.3°	1.00	1.00
135°	5.43	3.84	5.34	89.0°	1.5°	1.00	1.00
150°	4.76	4.12	4.18	115.3°	0.8°	1.00	1.00
165°	4.19	4.05	3.67	147.8°	0.4°	1.00	1.00
180°	3.95	3.95	3.61	180.0°	0.1°	1.00	1.00
150.0° (r)	4.75	4.12	4.18	115.4°	0.8°	1.00	1.00

TWS = 10 Kts							
TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	6.01	3.00	13.46	37.2°	5.7°	1.00	1.00
70°	6.57	2.25	13.04	41.4°	12.9°	1.00	1.00
75°	6.73	1.74	12.72	43.9°	13.7°	1.00	1.00
80°	6.83	1.19	12.38	46.9°	12.7°	1.00	1.00
90°	6.91	0.00	11.63	53.5°	7.5°	1.00	1.00
110°	6.76	2.31	9.53	68.3°	3.6°	1.00	1.00
120°	6.57	3.29	8.38	77.2°	2.8°	1.00	1.00
135°	6.15	4.35	6.70	94.5°	1.8°	1.00	1.00
150°	5.56	4.82	5.40	119.0°	1.0°	1.00	1.00
165°	5.03	4.86	4.77	149.2°	0.5°	1.00	1.00
180°	4.75	4.75	4.70	180.0°	0.1°	1.00	1.00
159.3° (r)	5.21	4.87	4.93	137.3°	0.7°	1.00	1.00

TWS = 12 Kts							
TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	6.54	3.27	15.13	36.6°	21.6°	1.00	0.95
70°	6.95	2.38	14.45	41.8°	23.5°	1.00	0.85
75°	7.11	1.84	14.04	44.6°	24.1°	1.00	0.86
80°	7.27	1.26	13.61	47.4°	24.5°	1.00	0.89
90°	7.60	0.00	12.65	53.1°	25.1°	1.00	0.99
110°	7.33	2.51	11.16	71.9°	4.7°	1.00	1.00
120°	7.12	3.56	9.90	81.5°	3.5°	1.00	1.00
135°	6.71	4.75	8.11	99.2°	2.2°	1.00	1.00
150°	6.20	5.37	6.72	122.6°	1.3°	1.00	1.00
165°	5.71	5.52	6.00	150.7°	0.7°	1.00	1.00
180°	5.46	5.46	5.87	180.0°	0.2°	1.00	1.00
166.1° (r)	5.69	5.52	5.97	152.9°	0.7°	1.00	1.00

TWS = 14 Kts							
TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	6.72	3.36	16.83	38.1°	23.3°	1.00	0.72
70°	7.11	2.43	16.04	43.9°	24.5°	0.98	0.71
75°	7.30	1.89	15.58	46.8°	24.9°	0.97	0.75
80°	7.49	1.30	15.10	49.8°	25.3°	0.97	0.78
90°	7.90	0.00	14.06	55.8°	25.9°	0.95	0.92
110°	8.16	2.79	12.68	73.3°	11.4°	1.00	1.00
120°	7.76	3.88	11.47	84.2°	4.3°	1.00	1.00
135°	7.23	5.11	9.58	102.8°	2.6°	1.00	1.00
150°	6.71	5.81	8.13	125.6°	1.6°	1.00	1.00
165°	6.29	6.08	7.33	152.2°	0.9°	1.00	1.00
180°	6.05	6.05	7.17	180.0°	0.3°	1.00	1.00
170.3° (r)	6.18	6.09	7.21	162.0°	0.7°	1.00	1.00

TWS = 16 Kts							
TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	6.82	3.41	18.42	39.6°	23.4°	0.93	0.69
70°	7.24	2.48	17.56	45.7°	24.5°	0.90	0.72
75°	7.45	1.93	17.06	48.7°	25.3°	0.91	0.73
80°	7.67	1.33	16.59	51.9°	25.5°	0.92	0.75
90°	8.17	0.00	15.52	58.3°	25.8°	0.90	0.88
110°	9.32	3.19	13.07	71.0°	27.3°	0.98	1.00
120°	8.65	4.32	13.02	85.1°	7.2°	1.00	1.00
135°	7.84	5.54	11.04	105.0°	3.1°	1.00	1.00
150°	7.19	6.23	9.58	128.0°	1.9°	1.00	1.00
165°	6.77	6.54	8.75	153.5°	1.1°	1.00	1.00
180°	6.55	6.55	8.56	180.0°	0.4°	1.00	1.00
172.9° (r)	6.63	6.58	8.58	167.4°	0.7°	1.00	1.00

TWS = 20 Kts							
TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	-0.01	-0.01	15.43	54.3°	36.8°	0.90	0.60
70°	-0.01	0.00	14.92	65.6°	36.8°	0.90	0.60
75°	-0.01	0.00	14.73	71.5°	36.8°	0.90	0.60
80°	-0.01	0.00	14.58	77.6°	36.8°	0.90	0.60
90°	8.44	0.00	18.27	62.5°	27.6°	0.90	0.63
110°	10.38	3.55	15.60	74.6°	28.7°	0.90	0.88
120°	11.45	5.72	14.23	80.9°	28.0°	0.94	1.00
135°	9.84	6.96	13.77	104.8°	4.4°	1.00	1.00
150°	8.40	7.27	12.34	130.2°	2.5°	1.00	1.00
165°	7.74	7.48	11.59	155.1°	1.5°	1.00	1.00
180°	7.44	7.44	11.45	180.0°	0.6°	1.00	1.00
170.2° (r)	7.60	7.49	11.47	163.7°	1.2°	1.00	1.00



World Leader in Rating Technology
 © Offshore Racing Congress 2010
 www.orc.org

Polar Tables

Boat Name: **W700 LD**

Sail No:

Sail: **Asymmetric Spinnaker on CL**

Issued On: **11/11/2010 - VPP 2010 1.11**

TWS = 6 Kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	4.33	2.16	8.68	34.4°	2.4°	1.00	1.00
70°	4.97	1.70	8.72	37.6°	2.8°	1.00	1.00
75°	5.21	1.35	8.63	39.3°	3.0°	1.00	1.00
80°	5.38	0.93	8.46	41.2°	3.1°	1.00	1.00
90°	5.54	0.00	7.92	45.6°	3.0°	1.00	1.00
110°	5.43	1.86	6.36	56.7°	2.3°	1.00	1.00
120°	5.18	2.59	5.44	64.4°	1.9°	1.00	1.00
135°	4.58	3.24	4.05	81.8°	1.2°	1.00	1.00
150°	3.81	3.30	3.04	111.1°	0.6°	1.00	1.00
165°	3.21	3.10	2.69	147.0°	0.2°	1.00	1.00
180°	3.03	3.03	2.64	180.0°	0.1°	1.00	1.00
144.0° (r)	4.13	3.35	3.36	97.7°	0.8°	1.00	1.00

TWS = 8 Kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	5.35	2.67	11.22	35.6°	3.7°	1.00	1.00
70°	5.96	2.04	11.09	39.6°	4.5°	1.00	1.00
75°	6.16	1.59	10.89	41.9°	4.8°	1.00	1.00
80°	6.28	1.09	10.61	44.3°	4.9°	1.00	1.00
90°	6.41	0.00	9.88	49.6°	4.4°	1.00	1.00
110°	6.26	2.14	7.99	62.6°	3.1°	1.00	1.00
120°	6.05	3.02	6.92	70.8°	2.4°	1.00	1.00
135°	5.54	3.92	5.34	87.8°	1.5°	1.00	1.00
150°	4.76	4.12	4.18	115.3°	0.8°	1.00	1.00
165°	4.16	4.01	3.70	148.1°	0.4°	1.00	1.00
180°	3.96	3.96	3.60	180.0°	0.1°	1.00	1.00
145.8° (r)	5.00	4.14	4.42	106.5°	1.0°	1.00	1.00

TWS = 10 Kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	6.10	3.05	13.49	36.8°	8.4°	1.00	1.00
70°	6.68	2.29	12.93	40.2°	18.6°	1.00	1.00
75°	6.85	1.77	12.55	42.4°	20.5°	1.00	1.00
80°	6.97	1.21	12.23	45.3°	19.4°	1.00	1.00
90°	7.07	0.00	11.59	52.4°	12.5°	1.00	1.00
110°	6.88	2.35	9.58	67.6°	3.9°	1.00	1.00
120°	6.69	3.35	8.40	76.4°	3.0°	1.00	1.00
135°	6.24	4.41	6.69	93.7°	1.9°	1.00	1.00
150°	5.55	4.81	5.40	119.1°	1.1°	1.00	1.00
165°	4.98	4.81	4.81	149.4°	0.5°	1.00	1.00
180°	4.76	4.76	4.68	180.0°	0.1°	1.00	1.00
156.4° (r)	5.28	4.83	5.07	131.7°	0.8°	1.00	1.00

TWS = 12 Kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	6.57	3.28	15.14	36.5°	21.8°	1.00	0.88
70°	6.98	2.39	14.47	41.7°	23.6°	1.00	0.78
75°	7.14	1.85	14.06	44.5°	24.1°	1.00	0.78
80°	7.31	1.27	13.62	47.2°	24.6°	1.00	0.81
90°	7.63	0.00	12.66	52.9°	25.2°	1.00	0.91
110°	7.51	2.57	11.20	71.0°	5.4°	1.00	1.00
120°	7.27	3.63	9.92	80.7°	3.7°	1.00	1.00
135°	6.78	4.80	8.10	98.7°	2.3°	1.00	1.00
150°	6.18	5.35	6.73	122.7°	1.3°	1.00	1.00
165°	5.67	5.48	6.04	150.9°	0.7°	1.00	1.00
180°	5.48	5.48	5.85	180.0°	0.2°	1.00	1.00
170.9° (r)	5.55	5.48	5.91	162.4°	0.5°	1.00	1.00

TWS = 14 Kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	6.74	3.37	16.84	38.0°	23.4°	1.00	0.65
70°	7.15	2.44	16.05	43.8°	24.6°	0.98	0.65
75°	7.33	1.90	15.57	46.7°	24.7°	0.94	0.74
80°	7.53	1.31	15.12	49.7°	25.3°	0.96	0.72
90°	7.94	0.00	14.07	55.6°	25.8°	0.94	0.86
110°	8.60	2.94	12.38	70.6°	18.6°	1.00	1.00
120°	7.98	3.99	11.49	83.1°	4.7°	1.00	1.00
135°	7.30	5.16	9.56	102.4°	2.7°	1.00	1.00
150°	6.69	5.79	8.14	125.8°	1.6°	1.00	1.00
165°	6.25	6.04	7.37	152.3°	0.9°	1.00	1.00
180°	6.07	6.07	7.15	180.0°	0.3°	1.00	1.00
176.4° (r)	6.08	6.07	7.16	173.4°	0.4°	1.00	1.00

TWS = 16 Kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	6.85	3.42	18.43	39.5°	23.5°	0.93	0.63
70°	7.28	2.49	17.58	45.6°	24.4°	0.90	0.66
75°	7.49	1.94	17.10	48.7°	25.1°	0.91	0.67
80°	7.72	1.34	16.58	51.8°	25.5°	0.90	0.71
90°	8.21	0.00	15.47	58.0°	26.5°	0.91	0.80
110°	9.41	3.22	13.05	70.5°	27.5°	0.96	0.98
120°	9.20	4.60	12.87	82.5°	11.9°	1.00	1.00
135°	7.92	5.60	11.02	104.5°	3.2°	1.00	1.00
150°	7.15	6.20	9.60	128.1°	1.9°	1.00	1.00
165°	6.73	6.50	8.78	153.6°	1.1°	1.00	1.00
180°	6.57	6.57	8.54	180.0°	0.4°	1.00	1.00
178.4° (r)	6.57	6.57	8.54	177.1°	0.5°	1.00	1.00

TWS = 20 Kts

TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	-0.01	-0.01	15.93	55.3°	33.5°	0.90	0.60
70°	-0.01	0.00	15.51	66.5°	33.5°	0.90	0.60
75°	-0.01	0.00	15.35	72.2°	33.5°	0.90	0.60
80°	-0.01	0.00	15.23	78.1°	33.5°	0.90	0.60
90°	-0.01	0.00	15.13	90.0°	33.5°	0.90	0.60
110°	10.48	3.58	15.66	74.3°	28.5°	0.90	0.81
120°	11.62	5.81	14.21	80.0°	28.0°	0.91	1.00
135°	10.09	7.13	13.70	103.8°	4.6°	1.00	1.00
150°	8.32	7.21	12.39	130.4°	2.5°	1.00	1.00
165°	7.67	7.41	11.64	155.2°	1.5°	1.00	1.00
180°	7.46	7.46	11.42	180.0°	0.6°	1.00	1.00
128.4° (r)	12.33	7.66	13.42	86.8°	23.4°	1.00	1.00



World Leader in Rating Technology
 © Offshore Racing Congress 2010
 www.orc.org

Polar Tables							
Boat Name: W700 LD							
Sail No:							
Sail: Asymmetric Spinnaker on Pole							
Issued On: 11/11/2010 - VPP 2010 1.11							

TWS = 6 Kts							
TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	4.41	2.21	8.75	34.1°	2.4°	1.00	1.00
70°	5.03	1.72	8.76	37.4°	2.8°	1.00	1.00
75°	5.25	1.36	8.66	39.1°	2.9°	1.00	1.00
80°	5.41	0.94	8.48	41.1°	3.0°	1.00	1.00
90°	5.56	0.00	7.93	45.5°	2.9°	1.00	1.00
110°	5.40	1.85	6.35	56.9°	2.2°	1.00	1.00
120°	5.13	2.57	5.42	64.9°	1.7°	1.00	1.00
135°	4.51	3.19	4.04	82.9°	1.1°	1.00	1.00
150°	3.81	3.30	3.04	111.1°	0.5°	1.00	1.00
165°	3.26	3.15	2.66	146.5°	0.2°	1.00	1.00
180°	3.04	3.04	2.63	180.0°	0.1°	1.00	1.00
146.3° (r)	3.98	3.31	3.23	103.2°	0.7°	1.00	1.00

TWS = 8 Kts							
TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	5.43	2.71	11.28	35.3°	3.7°	1.00	1.00
70°	6.00	2.05	11.12	39.5°	4.4°	1.00	1.00
75°	6.19	1.60	10.91	41.8°	4.7°	1.00	1.00
80°	6.31	1.09	10.63	44.2°	4.6°	1.00	1.00
90°	6.41	0.00	9.89	49.6°	4.2°	1.00	1.00
110°	6.23	2.13	7.97	62.8°	2.9°	1.00	1.00
120°	6.00	3.00	6.90	71.3°	2.2°	1.00	1.00
135°	5.47	3.87	5.34	88.6°	1.4°	1.00	1.00
150°	4.77	4.13	4.17	115.1°	0.8°	1.00	1.00
165°	4.20	4.06	3.66	147.7°	0.4°	1.00	1.00
180°	3.97	3.97	3.59	180.0°	0.1°	1.00	1.00
149.8° (r)	4.78	4.13	4.18	114.7°	0.8°	1.00	1.00

TWS = 10 Kts							
TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	6.16	3.08	13.55	36.6°	8.2°	1.00	1.00
70°	6.72	2.30	13.03	40.4°	16.8°	1.00	1.00
75°	6.88	1.78	12.69	42.8°	17.6°	1.00	1.00
80°	6.99	1.21	12.38	45.9°	16.0°	1.00	1.00
90°	7.04	0.00	11.67	52.9°	9.1°	1.00	1.00
110°	6.84	2.34	9.56	67.8°	3.6°	1.00	1.00
120°	6.64	3.32	8.39	76.8°	2.8°	1.00	1.00
135°	6.18	4.37	6.69	94.3°	1.8°	1.00	1.00
150°	5.58	4.83	5.39	118.9°	1.0°	1.00	1.00
165°	5.04	4.87	4.76	149.1°	0.5°	1.00	1.00
180°	4.77	4.77	4.67	180.0°	0.1°	1.00	1.00
159.3° (r)	5.22	4.89	4.92	137.3°	0.7°	1.00	1.00

TWS = 12 Kts							
TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	6.64	3.32	15.19	36.3°	22.0°	1.00	0.89
70°	7.05	2.41	14.50	41.4°	24.0°	1.00	0.81
75°	7.23	1.87	14.12	44.2°	24.2°	1.00	0.82
80°	7.40	1.28	13.68	47.0°	24.6°	1.00	0.85
90°	7.73	0.00	12.72	52.5°	25.2°	1.00	0.96
110°	7.44	2.54	11.19	71.4°	4.6°	1.00	1.00
120°	7.19	3.59	9.91	81.2°	3.4°	1.00	1.00
135°	6.74	4.76	8.11	99.1°	2.2°	1.00	1.00
150°	6.21	5.38	6.71	122.5°	1.3°	1.00	1.00
165°	5.73	5.53	5.99	150.7°	0.7°	1.00	1.00
180°	5.49	5.49	5.84	180.0°	0.2°	1.00	1.00
166.5° (r)	5.69	5.53	5.95	153.6°	0.7°	1.00	1.00

TWS = 14 Kts							
TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	6.83	3.42	16.90	37.8°	23.4°	1.00	0.67
70°	7.25	2.48	16.14	43.5°	24.8°	1.00	0.64
75°	7.45	1.93	15.69	46.4°	25.3°	1.00	0.66
80°	7.65	1.33	15.21	49.4°	25.6°	0.99	0.70
90°	8.08	0.00	14.18	55.3°	26.3°	1.00	0.80
110°	8.31	2.84	12.75	72.7°	10.7°	1.00	1.00
120°	7.85	3.93	11.48	83.8°	4.2°	1.00	1.00
135°	7.25	5.13	9.57	102.7°	2.6°	1.00	1.00
150°	6.73	5.83	8.12	125.5°	1.6°	1.00	1.00
165°	6.31	6.09	7.31	152.1°	0.9°	1.00	1.00
180°	6.08	6.08	7.14	180.0°	0.3°	1.00	1.00
171.0° (r)	6.18	6.11	7.18	163.3°	0.7°	1.00	1.00

TWS = 16 Kts							
TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	6.94	3.47	18.52	39.3°	23.8°	0.95	0.61
70°	7.39	2.53	17.64	45.3°	24.8°	0.91	0.68
75°	7.62	1.97	17.18	48.3°	25.2°	0.91	0.70
80°	7.86	1.37	16.68	51.4°	25.7°	0.91	0.73
90°	8.37	0.00	15.59	57.5°	26.5°	0.92	0.81
110°	9.70	3.32	13.19	69.4°	27.4°	0.98	1.00
120°	8.77	4.39	13.06	84.6°	6.0°	1.00	1.00
135°	7.87	5.56	11.03	104.8°	3.1°	1.00	1.00
150°	7.21	6.24	9.57	127.9°	1.9°	1.00	1.00
165°	6.79	6.55	8.73	153.4°	1.1°	1.00	1.00
180°	6.58	6.58	8.53	180.0°	0.4°	1.00	1.00
173.7° (r)	6.64	6.60	8.54	168.8°	0.7°	1.00	1.00

TWS = 20 Kts							
TWA	BTV	VMG	AWS	AWA	Heel	Reef	Flat
60°	-0.01	-0.01	15.20	53.7°	38.2°	0.90	0.60
70°	-0.01	0.00	14.65	65.2°	38.2°	0.90	0.60
75°	-0.01	0.00	14.43	71.2°	38.2°	0.90	0.60
80°	-0.01	0.00	14.27	77.4°	38.2°	0.90	0.60
90°	8.81	0.00	18.44	61.4°	27.6°	0.90	0.63
110°	10.92	3.74	15.85	72.8°	28.1°	0.90	0.88
120°	11.92	5.96	14.30	79.0°	28.1°	0.94	1.00
135°	9.93	7.02	13.74	104.4°	4.4°	1.00	1.00
150°	8.43	7.30	12.32	130.0°	2.5°	1.00	1.00
165°	7.76	7.50	11.56	155.0°	1.5°	1.00	1.00
180°	7.48	7.48	11.41	180.0°	0.6°	1.00	1.00
170.9° (r)	7.61	7.52	11.43	164.9°	1.2°	1.00	1.00